

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	19	725/107,114,125,131,139,139,144,151.ccls. and @ay<"2001" and (missing\$1 lost\$1) with (packet\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/05 09:10
S2	14	725/107,114,125,131,139,139,144,151.ccls. and @ay<"2001" and ((missing\$1 lost\$1) with (packet\$1)) same (request\$4 \$2transmit\$4 \$2transmission\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/02 13:41
S3	46	"725"/\$.ccls. and @ay<"2001" and ((missing\$1 lost\$1) with (packet\$1)) same (request\$4 \$2transmit\$4 \$2transmission\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/02 14:00
S4	7	"725"/\$.ccls. and @ay<"2001" and (((missing\$1 lost\$1) with (packet\$1)) same (request\$4 \$2transmit\$4 \$2transmission\$1)) and (QOS (quality adj4 service\$!))	US-PGPUB; USPAT	OR	OFF	2005/09/02 14:00
S5	7	"725"/\$.ccls. and @ay<"2001" and (((missing\$1 lost\$1) with (packet\$1)) same (request\$4 \$2transmit\$4 \$2transmission\$1)) and (QOS (quality adj4 service\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/02 14:03
S6	180	"725"/\$.ccls. and @ay<"2001" and (QOS (quality adj4 service\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/02 14:04
S7	6	"725"/\$.ccls. and @ay<"2001" and (QOS (quality adj4 service\$1)) same ((lost\$1 missing) with (data\$1 packet\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/02 14:06
S8	22	"725"/\$.ccls. and @ay<"2001" and (QOS (quality adj4 service\$1)) and ((lost\$1 missing) with (data\$1 packet\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/06 09:52
S9	6	"725"/\$.ccls. and @ay<"2001" and (QOS (quality adj4 service\$1)) same ((lost\$1 missing) with (data\$1 packet\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/06 10:45
S10	225	@ay<"2001" and (QOS (quality adj4 service\$1)) same ((lost\$1 missing) with (data\$1 packet\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/06 09:55
S11	169	@ay<"2001" and (QOS (quality adj4 service\$1)) same ((lost\$1 missing) with (data\$1 packet\$1)) same (request\$4 \$2transmit\$4 \$2transmission\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/06 09:55

EAST Search History

S12	16	"725"/\$.ccls. and @ay<"2001" and (determin\$4 calculat\$4) with (QOS (quality adj4 service\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/06 11:39
S13	18	"725"/\$.ccls. and @ay<"2001" and (determin\$4 calculat\$4 measur\$4) with (QOS (quality adj4 service\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/06 10:51
S14	2	"725"/\$.ccls. and @ay<"2001" and (measur\$4) with (QOS (quality adj4 service\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/06 10:51
S15	0	"725"/\$.ccls. and @ay<"2001" and (QOS (quality adj4 service\$1)) same (compar\$4) same (buffer\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/06 10:53
S16	8	"725"/\$.ccls. and @ay<"2001" and (QOS (quality adj4 service\$1)) same (compar\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/06 10:52
S17	78	@ay<"2001" and (QOS (quality adj4 service\$1)) same (compar\$4) same (buffer\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/06 10:54
S18	10	@ay<"2001" and (QOS (quality adj4 service\$1)) with (compar\$4) with (buffer\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/06 10:54
S19	171	"725"/\$.ccls. and @ay<"2001" and (determin\$4 calculat\$4 measur\$4) with (QOS (quality))	US-PGPUB; USPAT	OR	OFF	2005/09/06 11:40
S20	35	"725"/\$.ccls. and @ay<"2001" and (determin\$4 calculat\$4 measur\$4) with (QOS quality) with (score\$1 value\$1 number\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/06 13:21
S21	8488	@ay<"2001" and (determin\$4 calculat\$4 measur\$4) with (QOS quality) with (score\$1 value\$1 number\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/06 13:21
S22	22	"725"/\$.ccls. and @ay<"2001" and (determin\$4 calculat\$4 measur\$4) same (QOS quality) same (score\$1 value\$1 number\$1) same (compar\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/06 13:37
S23	5663	@ay<"2001" and (determin\$4 calculat\$4 measur\$4) same (QOS quality) same (score\$1 value\$1 number\$1) same (compar\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/06 13:38
S24	1607	@ay<"2001" and (determin\$4 calculat\$4 measur\$4) same (QOS quality) same (score\$1 value\$1 number\$1) same (compar\$4) same (data\$1 packet\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/06 13:38

EAST Search History

S25	188	@ay<"2001" and (determin\$4 calculat\$4 measur\$4) with (QOS quality) with (score\$1 value\$1 number\$1) with (compar\$4) with (data\$1 packet\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/06 13:38
S26	120	"725"/\$.ccls. and @ay<"2001" and compar\$4 with buffer\$1	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:19
S27	69	"725"/\$.ccls. and @ay<"2001" and compar\$4 near4 buffer\$1	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:12
S28	0	"725"/\$.ccls. and @ay<"2001" and (compar\$4 near4 buffer\$1) same (quality)	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:12
S29	7	"725"/\$.ccls. and @ay<"2001" and (compar\$4 near4 buffer\$1) same (score\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:13
S30	6	"725"/\$.ccls. and @ay<"2001" and (monitor\$4) with (QOS (quality adj4 service\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:14
S31	5	"725"/\$.ccls. and @ay<"2001" and (scor\$4 measur\$4 calcula\$5) with (QOS (quality adj4 service\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:15
S32	661	@ay<"2001" and (scor\$4 measur\$4 calcula\$5) with (QOS (quality adj4 service\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:15
S33	441	@ay<"2001" and (scor\$4 measur\$4 calcula\$5) near4 (QOS (quality adj4 service\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:15
S34	348	@ay<"2001" and (scor\$4 measur\$4 calcula\$5) near2 (QOS (quality adj4 service\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:16
S35	181	@ay<"2001" and ((scor\$4 measur\$4 calcula\$5) near2 (QOS (quality adj4 service\$1))) same (catv\$1 television\$1 video\$1 packet\$1 data\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:18
S36	22	@ay<"2001" and ((scor\$4 measur\$4 calcula\$5) near2 (QOS (quality adj4 service\$1))) same (catv\$1 television\$1 video\$1 packet\$1 data\$1) same (compar\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:33
S37	8	@ay<"2001" and ((scor\$4 measur\$4 calcula\$5) near2 (QOS (quality adj4 service\$1))) same (catv\$1 television\$1 video\$1 packet\$1 data\$1) same (third evaluator\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:35

EAST Search History

S38	7	@ay<"2001" and ((scor\$4 measur\$4 calcula\$5) near2 (QOS (quality adj4 service\$1))) same (sent send\$4 transmit\$4) same (third evaluator\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:38
S39	118	@ay<"2001" and ((scor\$4 measur\$4 calcula\$5) near2 (QOS (quality adj4 service\$1))) same (sent send\$4 transmit\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 09:38
S40	6	"725"/\$.ccls. and @ay<"2001" and (third adj2 part\$3) with (evaluator\$1 measur\$4 monitor\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:24
S41	235	"725"/\$.ccls. and @ay<"2001" and (third adj2 part\$3)	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:21
S42	3	"725"/\$.ccls. and @ay<"2001" and (third adj2 part\$3) with (analyz\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:21
S43	3	"725"/\$.ccls. and @ay<"2001" and (third adj2 part\$3) with (analyz\$4 static\$6)	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:21
S44	5	"725"/\$.ccls. and @ay<"2001" and (third adj2 part\$3) with (monitor\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:22
S45	13	"725"/\$.ccls. and @ay<"2001" and (third adj2 part\$3) with (record\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:24
S46	0	"725"/\$.ccls. and @ay<"2001" and (third adj2 part\$3) with (evalula\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:24
S47	2	"725"/\$.ccls. and @ay<"2001" and (third adj2 part\$3) with (evalu\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:24
S48	838	@ay<"2001" and (third adj2 part\$3) with (evaluator\$1 measur\$4 monitor\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:25
S49	295	@ay<"2001" and (third adj2 part\$3) near3 (evaluator\$1 measur\$4 monitor\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 10:25
S50	77	@ay<"2001" and ((third adj2 part\$3) near3 (evaluator\$1 measur\$4 monitor\$4)) same (scor\$1 measur\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/07 15:40
S51	44	"725"/\$.ccls. and (trigger\$1) with ((pop adj2 up\$1) window\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/07 15:45
S52	4	"725"/\$.ccls. and (trigger\$1) with (reminder\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/08 09:51

EAST Search History

S53	16	"725"/\$.ccls. and (quality\$1 performan\$4) with (group\$1 multi\$4) with (scor\$4 rank\$4 evalua\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/08 09:52
S54	12	"725"/\$.ccls. and @ay<"2001" and (quality\$1 performan\$4) with (group\$1 multi\$4) with (scor\$4 rank\$4 evalua\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/08 09:53
S55	20	@ay<"2001" and (group\$1 overall\$1) with (QOS (quality adj3 service\$4) quailty\$1) with (score\$1 measur\$4 rank\$1 grade\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/08 09:54
S56	3	725/107,114,125,131,139,139,144,151.ccls. and @ay<"2001" and (missing\$1 lost\$1) with (packet\$1) same (buffer\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/04 11:45
S57	7	"725"/\$.ccls. and @ay<"2001" and (missing\$1 lost\$1) with (packet\$1) same (buffer\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/04 11:47
S58	309	"725"/\$.ccls. and @ay<"2001" and (dual\$1 two\$1) with (buffer\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/04 11:48
S59	7	"725"/\$.ccls. and @ay<"2001" and (dual\$1 two\$1) with (buffer\$1) with (compar\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/04 11:52
S60	101	"725"/\$.ccls. and @ay<"2001" and (dual\$1 two\$1) near2 (buffer\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/04 12:04
S61	1	"725"/\$.ccls. and @ay<"2001" and (dual\$1 two\$1) near2 (buffer\$1) with (stor\$4 copy\$4) with (receiv\$4) with (stream\$1 data\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/04 12:05
S62	165	@ay<"2001" and (dual\$1 two\$1) near2 (buffer\$1) with (stor\$4 copy\$4) with (receiv\$4) with (stream\$1 data\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/04 12:59
S63	1	709/217,219.ccls. and @ay<"2001" and (dual\$1 two\$1) near2 (buffer\$1) with (stor\$4 copy\$4) with (receiv\$4) with (stream\$1 data\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/04 13:00
S64	12	709/217,219.ccls. and @ay<"2001" and (dual\$1 two\$1) near2 (buffer\$1) with (stor\$4 copy\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/04 13:02

EAST Search History

S65	0	348/192.ccls. and @ay<"2001" and (dual\$1 two\$1) near2 (buffer\$1) with (stor\$4 copy\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/04 13:02
S66	0	348/192.ccls. and @ay<"2001" and (dual\$1 two\$1) near2 (buffer\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/04 13:03
S67	31	348/192.ccls. and @ay<"2001" and (buffer\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/04 13:03
S68	349	"725"/\$.ccls. and @ay<"2001" and (stor\$4 copy\$4) with (stream\$1 data\$1) with (dual\$1 two)	US-PGPUB; USPAT	OR	OFF	2006/04/05 09:11
S69	67	"725"/\$.ccls. and @ay<"2001" and (stor\$4 copy\$4) with (stream\$1 data\$1) with (dual\$1 two multiple) with (buffer\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/05 09:12
S70	46	"725"/\$.ccls. and @ay<"2001" and (stor\$4 copy\$4) with (stream\$1 data\$1) same ((dual\$1 two multiple) near2 (buffer\$1))	US-PGPUB; USPAT	OR	OFF	2006/04/05 09:13
S71	55	"725"/\$.ccls. and @ay<"2001" and (stor\$4 copy\$4) with (stream\$1 data\$1) same ((dual\$1 two multiple both) near2 (buffer\$1))	US-PGPUB; USPAT	OR	OFF	2006/04/05 09:30
S72	13	"725"/\$.ccls. and @ay<"2001" and ((dual\$1 two multiple both) near2 (buffer\$1)) same (compar\$4 test\$4 calcula\$5)	US-PGPUB; USPAT	OR	OFF	2006/04/05 14:07
S73	6	"725"/\$.ccls. and @ay<"2001" and ((dual\$1 two multiple both) near2 (buffer\$1)) same (quality\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/05 14:11
S74	4	"725"/\$.ccls. and @ay<"2001" and ((dual\$1 two multiple both) near2 (buffer\$1)) same (copy\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/05 14:11
S75	10	"348"/\$.ccls. and @ay<"2001" and ((dual\$1 two multiple both) near2 (buffer\$1)) same (quality\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/05 14:09
S76	16	"348"/\$.ccls. and @ay<"2001" and ((dual\$1 two multiple both) near2 (buffer\$1)) same (copy\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/05 14:09
S77	14	"709"/\$.ccls. and @ay<"2001" and ((dual\$1 two multiple both) near2 (buffer\$1)) same (quality\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/05 14:11
S78	71	"709"/\$.ccls. and @ay<"2001" and ((dual\$1 two multiple both) near2 (buffer\$1)) same (copy\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/05 14:11